

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/007,103	12/04/2001	Shai Abramson	FRND 110	3555
7590 03/23/2005		EXAMINER		
Pollsinelli, Shalton & Welte, P.C.			MARC, MCDIEUNEL	
c/o Jerome R. Smith 700 W. 47th Street			ART UNIT	PAPER NUMBER
Suite 1000			3661	
Kansas City, M	IO 64112-1802		DATE MAILED: 03/23/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)		
Office Action Summary		10/007,103	ABRAMSON ET AL.		
		Examiner	Art Unit		
		McDieunel Marc	3661		
The MAILING DA Period for Reply	TE of this communication app	ears on the cover sheet with the c	orrespondence address -		
A SHORTENED STATUTHE MAILING DATE O - Extensions of time may be avarafter SIX (6) MONTHS from the - If the period for reply specified - If NO period for reply is specified - Failure to reply within the set o	F THIS COMMUNICATION. Itable under the provisions of 37 CFR 1.13 mailing date of this communication. above is less than thirty (30) days, a reply dd above, the maximum statutory period w extended period for reply will, by statute, a later than three months after the mailing	7 IS SET TO EXPIRE 3 MONTH(3 36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONEI adate of this communication, even if timely filed	ely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).		
Status					
2a)⊠ This action is FIN 3)□ Since this applica	tion is in condition for allowar	1 <u>/2005</u> . action is non-final. nce except for formal matters, pro Ex parte Quayle, 1935 C.D. 11, 45			
Disposition of Claims					
4a) Of the above of 5) ☐ Claim(s) is 6) ☒ Claim(s) <u>1-9 and 2</u> 7) ☒ Claim(s) <u>10 and 2</u>	16-24 is/are rejected.	vn from consideration.			
10) The drawing(s) file Applicant may not r Replacement drawi	equest that any objection to the ng sheet(s) including the correct	r.] accepted or b) ☐ objected to by drawing(s) be held in abeyance. See ion is required if the drawing(s) is objection. Additional contents in the drawing of the attached	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. §	119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited 2) Notice of Draftsperson's Pa 3) Information Disclosure State Paper No(s)/Mail Date S Patent and Trademark Office	tent Drawing Review (PTO-948) ement(s) (PTO-1449 or PTO/SB/08)	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:			

U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04) Application/Control Number: 10/007,103 Page 2

Art Unit: 3661

DETAILED ACTION

1. Claims 1-10, 16-25 and new claims 36-43 are pending for examination.

2. The rejection to claims 16-24 under 35 U.S.C. 102(e) as being anticipated by **Peless et al.** (U.S. Pat. No. **6,615,108**) is **maintained**.

The rejection to claims 1-9 under 35 U.S.C. 103(a) as being unpatentable over **Peless et al.** in view of Jones et al. (U.S. Pat. No. **6,690,134**) is **maintained**.

The objection to claims 10 and 25 is maintained.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 16-24, 38, 41 are rejected under 35 U.S.C. 102(e) as being anticipated by Peless et al. (U.S. Pat. No. 6,615,108).

Art Unit: 3661

As per claims 16 and 22, Peless et al. teaches a method for area coverage by an autonomous machine (see fig. 2A) comprising: scanning a first portion of said area in accordance with at least one scanning pattern (see fig. 2A, element 54 being considered as first portion); analyzing said first portion for an opening to a second portion of said area (see fig. 2A, element 56 being considered as the second portion and col. 3, lines 42-53 et seq.; and moving along a path at least proximate to the periphery of said first portion to and through said opening to said second portion of said area (see fig. 2A and col. 3, lines 49-53 et seq.). with respect to claim 22, Peless et al. teaches a method for area coverage by an autonomous machine (see fig. 2A) comprising: scanning a portion of said area in accordance with at least one scanning pattern, from a first point (see fig. 2A, element 54 being considered as first portion); moving along a path at least proximate the periphery of said scanned portion to a second point (see fig. 2A and col. 3, lines 49-53 et seq.), said second point at a different location than said first point (see fig. 2A as noted above); and scanning a portion of said area in accordance with at least one scanning pattern, from said second point (see fig. 2A and col. 3, lines 49-53 *et seq.*).

As per claims 17 and 38, <u>Peless *et al.*</u> teaches the limitation of scanning said second portion in accordance with at least one scanning pattern (see fig. 6), note that the second portion of the pattern the same straight parallel line pattern.

As per claims 18 and 41, <u>Peless et al.</u> teaches a method comprising: indicating the end of said at least one scanning pattern for said first portion of said area when lateral advancement of said apparatus in accordance with said at least one scanning pattern is no longer possible (see col. 3, lines 59 – to col. 4, line – 5 and fig. 2A), the doted circle being considered a boundary where pattern is no longer possible.

Application/Control Number: 10/007,103 Page 4

Art Unit: 3661

As per claim 19, <u>Peless *et al.*</u> teaches a method, wherein said at least one scanning pattern is executed substantially free of repetition (see fig. 6), as noted above the circle are being considered as free of repetition.

As per claim 20, <u>Peless *et al.*</u> teaches a method, wherein said at least one scanning pattern is executed substantially free of repetition (see fig. 6), as noted above the circle are being considered as free of repetition.

As per claim 21, <u>Peless *et al.*</u> teaches a method, wherein said movement at least proximate to said periphery of said first portion includes a contour movement see fig. 6), as noted above the contour being made around the edges of the boundaries.

As per claim 23, <u>Peless *et al.*</u> teaches a method, wherein said moving along said path includes moving a predetermined length (see col. 4, lines 40-45), as noted above, the boundaries provide predetermined length for the robot.

As per claim 24, <u>Peless et al.</u> teaches a method, wherein said moving along said path includes determining the length of said path dynamically (see col. 4, lines 40-45), as noted above that path of the boundaries provide predetermined length for the robot.

Claim Rejections - 35 USC § 103

Art Unit: 3661

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Page 5

- 6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 7. Claims 1-9, 36-37, 39, 40, 42 and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Peless** *et al.* in view of **Jones** *et al.* (U.S. Pat. No. **6,690,134**).

As per claims 1 and 7, <u>Peless et al.</u> teaches substantially a system and an associated method having the limitation of providing at least one scanning pattern for a first portion of said area (see fig. 2A and col. 3, lines 49-51); analyze said first portion for an opening to a second portion of said area (see fig. 2A and col. 3, lines 52-53); and signal said drive system to move along a path at least proximate the periphery of said first portion to and through said opening to said second portion of said area (see fig. 2A and col. 3, lines 49-53 et seq.). with respect to claim 7, <u>Peless et al.</u> also teaches

Art Unit: 3661

substantially a system and an associated method having the limitation of providing at least one scanning pattern for a portion of said area (see fig. 2A and col. 3, lines 49-51) from a first point (see fig. 2A, particularly element 42 being considered as first point); signal said drive system to move along a path at least proximate the periphery of the scanned portion to a second point (see fig. 2A and col. 3, lines 49-53 *et seq.*), note that the second point being considered as the end point of element 42 of figure 2A, said second point at a different location than said first point (see fig. 2A as noted above); and provide at least one scanning pattern for a portion of said area from said second point (see fig. 2A, elements 42 and 56). Peless *et al.* does not explicitly teach an apparatus for autonomous operation over an area comprising: a drive system; and a controller in communication with said drive system, said controller including a processor programmed.

However, <u>Jones *et al.*</u> teaches a vaccum robot having an apparatus for autonomous operation over an area (see fig. 6) comprising: a drive system; and a controller in communication with said drive system (see fig. 6, particularly the processor, which being considered as controller), said controller including a processor programmed (see fig. 6, particularly the processor).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the robot type of Peless *et al.* with the robot type of Jones *et al.* because this modification would have increased the robot of Peless *et al.* so that when the robot encounters one of the boundary markers then the robot moves about the area to covered, thereby improving the efficiency the reliability of the robotic vacuum cleaner system.

As per claim 2, <u>Peless *et al.*</u> teaches an apparatus, wherein said processor is additionally programmed to provide at least one scanning pattern for said second portion of said area (see col. 3, lines 59 – to col. 4, line – 5).

As per claim 3, <u>Peless *et al.*</u> teaches an apparatus, wherein said processor is additionally programmed to indicate the end of said at least one scanning pattern for said first portion of said area when lateral advancement of said apparatus in accordance with said at least one scanning pattern is no longer possible (see col. 3, lines 59 – to col. 4, line – 5 and fig. 2A), the doted circle being considered a boundary where pattern is no longer possible.

As per claim 4, <u>Peless et al.</u> teaches an apparatus, wherein said at least one scanning pattern provided is substantially free of repetition (see fig. 6), note that the circle are being considered as free of repetition.

As per claim 5, <u>Peless et al.</u> teaches an apparatus, wherein said at least one scanning pattern provided is substantially free of repetition (see fig. 6), note that the circle are being considered as free of repetition.

As per claim 6, <u>Peless et al.</u> teaches an apparatus, wherein said movement at least proximate to said periphery of said first portion includes a contour movement (see fig. 6), note that the contour being made around the edges of the boundaries.

As per claim 8, <u>Peless *et al.*</u> teaches an apparatus, wherein said processor is programmed such that said path includes a predetermined length (see col. 4, lines 40-45), note that path of the boundaries provide predetermined length for the robot.

Art Unit: 3661

As per claim 9, <u>Peless *et al.*</u> teaches an apparatus, wherein said processor is additionally programmed to dynamically determine the length of said path (see col. 4, lines 40-45), note that path of the boundaries provide predetermined length for the robot.

As per claims 36, 37, 39, 40, 42 and 43, <u>Peless et al.</u> teaches essential features of the claimed invention substantially as claimed, but fails to teach a vaccum cleaning system in cooperative communication with said controller; an area includes at least one room; and a plurality of rooms.

Howver, <u>Jones *et al.*</u> teaches a vaccum cleaning system in cooperative communication with said controller (see col. 2, lines 37-42); an area includes at least one room; and a plurality of rooms (see abstract).

It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify the robot type of Peless *et al.* with the robot type of Jones *et al.* because this modification would have increased the robot of Peless *et al.* in order to allow automatic cleaning of multiple **rooms** or spaces in a controlled manner, thereby improving the efficiency the reliability of the robotic vacuum cleaner system.

Response to Arguments

As to the reference is silent to "a robot finding an opening and traveling in a path at least proximate to the boundary" (see Peless" *et al.* fig. 2A and col. 2, lines 50-59).

As to the reference is silent to "a structure for analyzing the first portion for an opening to a second portion of the area, and that move the apparatus along a path proximate to the periphery of the first portion, to reach and move through the opening to

Art Unit: 3661

the second portion of the area." (see Peless" et al. fig. 2A), note that detecting obstacle has been considered as analyzing, therefore, elements **14**, **56** and **60** of figure **2A** has been considered as first portion that being analyzed; and element **54** of the same figure being considered as second portion of the area.

Allowable Subject Matter

- 8. Claims 10 and 25 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 9. The following is a statement of reasons for the indication of allowable subject matter:

The prior art of record fail to teach or fairly suggest with respect to claim10, the apparatus of claim 9, wherein said length of said path (D) determined dynamically is in accordance with the formula:

 $D = [K_1 \ . \ d][\Sigma L_i / \max{\{L_i\}}] + [K_2 \ . \ \max{\{L_i\}}] \ are \ the \ lengths \ of \ each \ straight \ line$ portion of the scanned pattern; K_1 and K_2 can be, for example, $K_1 = 0.8$, $K_2 = 1$, where L_i are measured in meters; and d is the diameter of the apparatus expressed in meters. With respect to 25, wherein said determining the length of said path (D) dynamically is in accordance with the formula:

$$D = [K_1 . d][\Sigma L_i / max \{L_i\}] + [K_2 . max \{L_i\}]$$

3

Art Unit: 3661

where,

 L_i is the series L_1 to L_n , and L_1 to L_n are the lengths of each straight line portion of the scanned pattern; K_1 and K_2 can be, for example, $K_1 = 0.8$, $K_2 = 1$, where L_i are measured in meters; and d is the diameter of the apparatus, expressed in meters.

- 10. Applicant's arguments filed 1/4/2005 have been fully considered but they are not persuasive.
- 11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to McDieunel Marc whose telephone number is (703) 305-4478. The examiner can normally be reached on 6:30-5:00 Mon-Thu.

Art Unit: 3661

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Black can be reached on (703) 305-8233. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

McDieunel Marc

Thursday, June 08, 2004

MM/

THOMAS G. BLACK
THOMAS G. BLACK
PATENT EXAMINER
TRUISORY PATENT EXAMINER